
What's New in HeaderDoc 8



February 13, 2004



Apple Computer, Inc.
© 2004

, 2004 Apple Computer, Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Computer, Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Computer, Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled or Apple-licensed computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Computer, Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, and Mac are trademarks of Apple Computer, Inc., registered in the United States and other countries.

Java and all Java-based trademarks are trademarks or registered trademarks of Sun

Microsystems, Inc. in the U.S. and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this manual, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS MANUAL, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS MANUAL IS SOLD "AS IS," AND YOU, THE PURCHASER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS MANUAL, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

Chapter 1 **What's New in HeaderDoc 8** 7

Languages Supported 7

Major Features 8

New Tags 9

Additional Notes 10

C O N T E N T S

Tables

Chapter 1 [What's New in HeaderDoc 8](#) 7

[Table 1-1 HeaderDoc 8 Language Support](#) 8

T A B L E S

What's New in HeaderDoc 8

HeaderDoc 8 is the latest incarnation of the HeaderDoc tool. It consists of a series of perl scripts and several small C helper applications that allows conversion of documentation embedded in header files in many languages into HTML and other output formats.

HeaderDoc 8 is the first major feature release in a while. HeaderDoc 8 is nearly a ground-up rewrite of HeaderDoc. It incorporates all of the functionality of previous versions, but also provides a number of new features, such as declaration syntax coloring/highlighting and an easier-to-use comment syntax. These features are described in [“Major Features” \(page 8\)](#).

HeaderDoc 8 also adds a number of additional languages with various levels of support. These are described in [“Languages Supported” \(page 7\)](#).

Finally, HeaderDoc 8 adds a number of new (optional) tags for convenience. These are described in [“New Tags” \(page 9\)](#).

For additional information, see the documentation that is packaged with HeaderDoc.

Languages Supported

HeaderDoc 8 supports many more languages than HeaderDoc 7. This table shows the various languages and the level of support.

Table 1-1 HeaderDoc 8 Language Support

Language	HeaderDoc 7 support	HeaderDoc 8 support
C headers	yes	yes
C++	yes	yes
Objective C	yes	yes
C source code	no	yes
K&R C sources	no	yes

Language	HeaderDoc 7 support	HeaderDoc 8 support
Java	no	yes *
JavaScript	no	yes *
Pascal	no	yes
PHP	sort-of	yes **
Perl	no	yes **
Shell Scripts	no	yes **
Mach IPC Interface Defs	no	yes **

Note:

* Java/JavaScript support functions and classes.

** Scripting languages only support functions/subroutines.

Major Features

HeaderDoc 8 has a number of new features.

- Function/data type groupings
- Declaration syntax coloring
- New tagless syntax


```
/*! This is a comment about what comes next */
```
- Improved C++ support (namespace/template/access)
- gatherHeaderdoc is now template-based
- PHP support (and a bunch of other languages) now included without patching
- Support for linking to other methods/data types within the same file
- Comment stripper
- Support for exceptions
- Now warns if tagged parameters don't match declaration
- Optional warning if parameters are not tagged
- Man page output path (via XML)
- Nested class handling

- Customizable date format
- C pseudoclass support (`typedef struct`)
- `@ignore`—allows you to remove matching tokens from declarations
- “Unsorted” flag.
- Summary function/method lists (mini-TOC)
- Improved overall appearance

New Tags

This section attempts to list all of the new tags added in HeaderDoc 8 (some of which were actually available, but undocumented, in HeaderDoc 7).

@classdesign

Text block describing the overall design of a class.

@coclass

String describing a class that this class was designed to work with.

@dependency

String describing a class upon which this class depends heavily.

@exception

String describing an exception thrown by a function/method/class.

@functiongroup

Tag for grouping functions and methods. This takes priority over the `@group` tag with respect to functions and methods.

@group

Tag for grouping data, functions, etc.

(Note: the `@functiongroup` tag takes priority over the `@group` tag for functions.)

@helper

String telling what helper classes this class uses.

@helps

For helper classes, string telling what sort of classes this class was designed to help.

@instancesize

Text block containing the size of an instance of this class.

@methodgroup

See `@functiongroup` .

@ownership

String describing what class instantiates the current class (e.g. I/O Kit nubs).

@performance

Text block to describe performance characteristics of a class (e.g. "This class is not appropriate for use in high-performance environments.")

@security

Text block to describe security considerations when using this class.

@superclass

Adds superclass info to a C pseudoclass. Also can be used to cause members of the superclass to be merged into the subclass.

@throws

See *@exception* .

Additional Notes

This section basically lists known errata for the public beta. We hope that many of these things will improve prior to the final HeaderDoc 8 release. If you find issues not listed here, please file bugs. If you are an ADC member, you can file bugs against the HeaderDoc component using BugReporter. Otherwise, please file bugs using the [OpenDarwin.org bug reporting page](http://OpenDarwin.org) .

- The man page output path is currently somewhat manual. To convert a header, etc. to a set of man pages, do something like the following:

```
headerdoc2html [flags] -X filename.h
```

```
hdxml2manxml filename/filename.xml
```

```
xml2man filename/filename.xml.xml.mxml
```

```
mv filename/*.1 /path/to/man/man1
```

- Code coloring does not work equally well for all languages. Specifically, code coloring for Pascal is known to not handle data types correctly, and code coloring for Mach IPC definitions is just plain wrong. There are probably others.

Officially, code coloring is only supported for C/C++/Objective C, at least in this version.

- Indentation and spacing for PHP function declarations leaves something to be desired.
- HeaderDoc 8 is somewhat slower than previous versions. This is because the entire parser has been rewritten from the ground up and now does a token-based parse of the input file.

While this should significantly improve the correctness of output (colorizer bugs notwithstanding), it is doing a lot more work than before, and thus takes longer.

There are a number of things that can eventually be done to improve this, such as precompiling the regular expressions. We hope to make such optimizations at a later date.

- HeaderDoc's default color scheme matches XCode coloring. There are a number of files supplied as alternative color schemes, ranging from pleasant to utterly hideous (used mainly for testing). Swap out your headerDoc2HTML.config file as desired.
- GatherHeaderDoc's default template is built-in. The format for this template is described in the documentation, and an example template (`exampletoctemplate.html`) is provided. To use that example template, you must modify the config file.

